

# Mobile Home Worksheet

From#:  
 2010-043

CSA #: \_\_\_\_\_ NAME: \_\_\_\_\_ MUNICIPALITY: \_\_\_\_\_

Foundation: You must check one below and fill in the blanks

Wood Cribs

Wood Footing Pad Size \_\_\_\_\_ x \_\_\_\_\_ x \_\_\_\_\_ (width x height x depth all in inches) \* Must be completely treated

Wood Cribbing \_\_\_\_\_ x \_\_\_\_\_ x \_\_\_\_\_ (width x height x depth all in inches) \* Must be treated min. 6" up

Piers

Concrete Footing Pad Size \_\_\_\_\_ x \_\_\_\_\_ x \_\_\_\_\_ (width x height x depth all in inches)

Column Size on Footing \_\_\_\_\_ x \_\_\_\_\_ x \_\_\_\_\_ (diameter x depth)

Piles

Concrete Pile size \_\_\_\_\_ x \_\_\_\_\_ x \_\_\_\_\_ (width x height x depth all in inches)

Screw Piles Yes

- Include engineers design along with stamped drawings with application for all Piers and Screw Piles

## Anchorage

Type \_\_\_\_\_ Spacing \_\_\_\_\_ Min spacing 40' each side

## Soil Type

Sand  Clay  Gravel  Other  (if other type): \_\_\_\_\_

## Additions:

Porch  Decks  Garage  Other  (if other type): \_\_\_\_\_

- Include worksheets for the above (garages cannot be attached unless engineered)

## Skirting

Vinyl  Treated Wood  Metal  Other  (if other type): \_\_\_\_\_

## Check list

All trees, grass and vegetation will be removed  
 Gravel Base will be installed  
 Top of all supports will have brace to prevent sliding  
 Unit will be anchored, max spacing 40'  
 Skirting has ventilation on all sides  
 Cribbing if used will have footing below  
 If Piles are used engineer design will be completed

Poly Ground Cover will be Installed Must be rated CSGB  
 Site will be is graded 2% slope under home to shed water  
 Home will have 24" of clearance  
 Skirting if not vinyl or metal will be treated  
 Skirting can move up and down if needed  
 Piers if used will have footing below frost  
 If screw piles are used engineer design will be complete


- Forward this worksheet completed along with your application